


CZ Service Manuals

RiD03628

**CLSP.01 - COOLING SYSTEMS
ADD-ON FOR TBCr**





RiD03628

COOLING SYSTEMS ADD-ON FOR CR PUMPS

(For TBCR units)

CLSP.01




Introduction

Please make sure that you have all the necessary tools and you have read this installation guide thoroughly.

Notice: All the images below are for simulation purposes only and do not necessarily represent the exact conditions of the machine spare parts.

STEP.1 Power off machine, and open panels.


By removing the following screws you can remove the front and back panel of the cooling system.





STEP.2 Connect the two-black hoses on the cooling system.



***NO POLARITY NEEDED**




STEP.3 Connect the cable with the white connector.



STEP.4 Screw the base on the TBCr machine.



STEP.5 Final step check for leaks and open the emergency stop, then the fan should start working.



STEP.6. Put the two covers on



**Main Offices & Production Plant**

364 Varis-Koropiou Ave. Koropi
194 42 Athens, Greece

Headquarters

A.I.S. GmbH
75438 Knittlingen, Germany

email contact@carbonzapp.com

tel +30 210 9856110

fax +30 210 9928655

Support / Sales Telephone

+30 210 98 56110

Support email

support@carbonzapp.com

TeamViewer email

tv@carbonzapp.com

Sales email

office@carbonzapp.com

carbonzapp.com

