




**CARBON
ZAPP**

CZ Service Manuals

RiD03651

Tablet 8" DS1_GD1_DCD units





RiD03651

Instructions for Replacing Tablet 8" in DS1/GD1/DCD units.

Tools Needed:

Allen Key #4

Philips Screwdriver

Notes:

STEP.1 (Power OFF)



STEP.2 (Remove the Left Panel)




STEP.3 (Pease make a drill 6,5mm and distances 80mm / 80mm)



STEP.4 (Antenna Position)




STEP.5 (Please follow the arrows for the antenna cable)



Step.6 (Check position Antenna)




STEP 7: Open the back panel




STEP 8: Install the cable adapter at connector K2:




STEP 9: Manage the cables with the direction of the exist cables:







STEP 10: Connect the cable connector 4 pin to the tablet and the 2pin to the old 5v supply:



**Main Offices & Production Plant**

364 Varis-Koropiou Ave. Koropi
194 42 Athens, Greece

Headquarters

A.I.S. GmbH
75438 Knittlingen, Germany

email contact@carbonzapp.com

tel +30 210 9856110

fax +30 210 9928655

Support / Sales Telephone

+30 210 98 56110

Support email

support@carbonzapp.com

TeamViewer email

tv@carbonzapp.com

Sales email

office@carbonzapp.com

carbonzapp.com

