




CZ Service Manuals

—
RiD03775

Water Cooling Kit For MTBR_D





RiD03775

Water Cooling Kit For MTBR/MTBR_D


Contents

1. Water Cooling
2. Part Code CZ008379



Step 1: Power off and unplug the power from the bench.

Use the special key to remove the side panels.




Step 2:

Remove the front and cover.




Step 3: Remove the old air-cooling system




Step 4: Connect the new part valve Water Cooling.





Connect the white connector cable from electro valve water cooling.




Step 5: Connect the 2 hoses from Rail DRVs to (A) port Water Cooling.





Step 6: Connect The hose (A) to in port electro valve follow the picture.



Step 7: Connect the Hose (B) to in filter base and water-cooling port (B).





Step 8: The other side (B) port connect direct to the Tunk.



Step 9: Connect The hoses (OUT / IN) from water system.





Step 10: Put the sticker and the 2-adapter connector in / out.



Water Cooling Connections

- The IN and OUT ports have 3/8" thread.
- The water input temperature must be between 5°C - 27°C.
- The max pressure is 4 bar.

**Main Offices & Production Plant**

364 Varis-Koropiou Ave. Koropi
194 42 Athens, Greece

Headquarters

A.I.S. GmbH
75438 Knittlingen, Germany

email contact@carbonzapp.com

tel +30 210 9856110

fax +30 210 9928655

Support / Sales Telephone

+30 210 98 56110

Support email

support@carbonzapp.com

TeamViewer email

tv@carbonzapp.com

Sales email

office@carbonzapp.com

carbonzapp.com

